

Fiber Optic Splice Closure: Horizontal Type

Model: FOEH2I2O-24



Product Specification

The Horizontal Type of two cables in two cables out fiber optic splice closure. It is used in aerial, direct and branch connect for $\phi 10$ - $\phi 22$ cables. The most feature of this product is suitable for extreme climate because of its use of composite engineering plastic box body and sealing material for filling structure. Its outer body is made of stainless steel material. This product can be reopened repeatedly after being sealed.

Application

- Aerial-hanging
- Wall-mounting
- Direct-bury

Product Specifications

| Item | |
|---------------------------|------------------------|
| Dimension (mm) | 580(480)×185×125 |
| Weight (Kg) | 3.5 |
| Diameter of Cable(mm) | $\Phi 10 \sim \Phi 22$ |
| No. of Cable Inlet/Outlet | Four |
| Number of Fibers per Tray | 24 (single core) |
| Max. Number of Trays | 8 |
| Max. Number of Fibers | 192 (single core) |
| Sealing of Shells | Self-adhesive tape |

Kit Contents

| Item | Type | Quantity |
|---------------------------|---------------|-----------------------------------|
| Fiber Optic Splice Sleeve | | Allocated by the number of fibers |
| Self-adhesive cinch | Widen | 1 coil |
| Self-adhesive cinch | Narrow | 2 PCS |
| Insulated robber belt | | 1 PCS |
| Sealing washer | | 4PCS |
| Block | | 2 PCS |
| Marking note | | 4 × no of the fiber cores |
| Hanging hook | Aerial-hanger | 1 Pair |
| Allen wrench | M5 | 1 PCS |